

OCEANIC

PRODUCT CATALOG 2013

TABLE OF CONTENTS	
Dive computers	3-15
Dive computer comparison chart	16
Instruments	18-19
Regulators	20-25
Regulator accessories	26
Hoses	27
BCDs	28-33
BCD accessories	34
Masks	35-42
Mask accessories	43
Snorkels	44-45
Fins	46-51
Size charts	52
Dry suits	53-55
Undergarment for dry suits	56
Dry suit accessories	57
Wetsuits	58-61
Neoprene accessories	62-65
Accessories	66-67
Bags / Luggage	68
Lamps	69

COMPUTERS



OCi



New air-integrated dive computer in a strong, lightweight composite housing reinforced by a stainless steel case back and bezel.

- Dual Algorithm® with Deep Stop
- Intuitive User Interface with "Step Back" – allows forward and backward navigation through menus and settings
- Digital compass with Auto-Home function
- Strong, lightweight composite housing reinforced by a stainless steel case back and bezel.
- Switch between up to 3 Nitrox gas mixes to 100% O2
- Air, Nitrox, Gauge, and Free Modes
- Gauge Mode with option for Run-Timer on main dive display
- Audible Alarms with Flashing LED Light – may be customized or deactivated
- User-Replaceable Battery with Data Retention; maintains settings and calculations if the battery is removed
- Firmware Update Ready with optional PC Interface Kit - install operational improvements or future new features
- Metric system
- ETA summer 2013






Part n°	Description
04-8792-24-M	OCi , white, with USB-cable
04-8792-29-M	OCi , black/titanium, with USB-cable
04-8792-36-M	OCi , black/yellow, with USB-cable
04-8792-49-M	OCi , black/red, with USB-cable
04-8792-79-M	OCi , black/blue, with USB-cable
04-8000-02	TRANSMITTER ATOM / VT / VT3 / VT4, DataTrans, H.U.D. Datamask
04-9612	OCEANLOG V.4 , cable for OCi, OC1, OCS
04-6175-35	Battery-kit , OCi
04-8243	Lens Cover Atom3,OCS, Oci, BUD stick-on film
04-9036-05	Battery Transmitter - 3,6 V CR2



Ready for anything... just pick your color. The Oceanic OCS is an elegant wristwatch dive computer featuring an intuitive operating system, Dual Algorithm®, advanced digital compass, 3 Nitrox mix capability, and so much more. All in a strong, lightweight composite housing reinforced by a stainless steel case back and bezel.

- Powered by Oceanic's Exclusive Dual Algorithm® with Deep Stop
- Intuitive User Interface with "Step Back" – allows forward and backward navigation through menus and settings
- Digital Compass with North, Reference, Auto Home, and Declination Adjustment
- Composite Case with Stainless Steel Case Back and Bezel
- Switch between up to 3 Nitrox gas mixes to 100% O2
- Air, Nitrox, Gauge, and Free Modes
- Gauge Mode with option for Run-Timer on main dive display
- Audible Alarms with Flashing LED Light: may be customized or deactivated
- User-Replaceable Battery with Data Retention; maintains settings and calculations if the battery is removed



Part n°	Description
04-8783-29-M	OCS , titanium, without USB 
04-8783-36-M	OCS , yellow, without USB 
04-8783-24-M	OCS , white, without USB 
04-8783-49-M	OCS , red, without USB 
04-8783-79-M	OCS , blue, without USB 
04-9612	OCEANLOG V.4 , Kabel for OC1 + OCS
04-6175-37	Battery kit for OCS
04-8243	Lens Cover Atom3,OCS, Oci, BUD stick-on film

VT 4.1



The Oceanic VT4.1 takes yet another step forward in continuing a reputation of ruggedness and reliability while making advancements in PDC usability. Out-of-the-box ready for your dive today and ready to follow you onto more advanced dives in the future. With Oceanic's wireless transmitter, the diver can also monitor gas pressure from up to three independent cylinders – ideal for both technical diving applications and recreational diving. Now available with metric system.

- Powered by Oceanic's Exclusive Dual Algorithm
- Deep Stop with Countdown Timer
- Switch between up to 4 independent wireless transmitters, tracking multiple Nitrox mixes
- 3-Axis Digital Compass with Full Tilt Compensation
- Improved user-interface with Step Back function
- Customize your dive mode display with multiple data options
- Confirm common pre-dive settings – defined by the user
- Access custom Shortcut; your choice of display, setting or function
- User Replaceable Battery with Data Retention
- Firmware Update Ready

Part n°	Description
04-8030-16-M	VT 4.1 , complete system with Oceanlog
04-8033-16-M	VT 4.1 , without USB/Oceanlog
04-8000-02	TRANSMITTER ATOM, VT, VT3, Data Trans, HUD Datamask
04-9606	OCEANLOG V.3 VEO, VT3, VT4, Datamask, DMPP2.1
04-8222	Lens cover acryl for VT series
04-6175-40	Battery-Kit VEO, VERSA, VERSA PRO, VT PRO
04-9036-05	Battery Transmitter - 3,6 V CR2
04-1440	Wristband VT4. VT3, VERSA PRO, VT PRO

GEO 2



Quality, Function and Style. The GEO 2.0 has an upgraded look with a stainless steel accent ring and new color combination – and now includes Dual Algorithm, Deep Stop option and a redesigned user interface with "Step Back" – which allows forward and backward navigation through menus and settings.

- Powered by Oceanic's Exclusive Dual Algorithm™
- 4 Operating Modes: WATCH (Alternate Time, Chrono, Daily Alarm, Countdown Timer), NORM (Air and Nitrox), GAUGE (with run timer) and FREE
- User-Friendly Interface with "Step Back" function
- Switch between up to 2 Nitrox mixes to 100% O2 with no restriction (Gas 1 may be up to 100%, and may be less or greater than Gas 2)
- For stop times <3 minutes -> displays minutes & seconds
- Deep Stop with Countdown Timer – Maybe turned on or off.
- Single button access to "Last Dive" display (max depth & bottom time)
- Data Retention - maintains calculations indefinitely when the battery is changed
- Audible Alarm with flashing LED light
- 24 dive on-unit log book
- History Mode includes total number of dives, max depth, total dive hours, and lowest temp
- Optional PC Interface with OceanLog Download and Settings Upload
- Firmware Auto-Update:
- Now available with metric system.

Part n°	Description
04-8929-16-M	GEO 2.0 , slate blue
04-8929-24-M	GEO 2.0 , white
04-9610	OCEANLOG ATOM (GEO & F10)
04-8105	Display lens cover Acryl ATOM 2/3, GEO 1/2
15050-02-29	Wristband GEO 2.0, GEO
04-6175-05	Battery-Kit ATOM, GEO,BUD

ATOM 3.1



The ATOM 3.1 is equally at home when worn with wetsuit or a three-piece suit. Don't be deceived by its easy to read display and intuitive user interface -- this small format powerhouse delivers all the bells and whistles you would expect from Oceanic.

- Powered by Oceanic's Exclusive Dual Algorithm®
- Wireless Air Integrated Technology allows streamlined and accurate monitoring of tank pressure
- 4 Operating Modes: WATCH , NORM (Air and Nitrox), GAUGE (with run timer) and FREE
- Switch between 3 independent transmitters, with up to 3 nitrox mixes to 100% O₂
- Improved user-interface with "Step Back" function
- Safety stop - auto (with adjustable stop time and depth) + manual (run timer)
- Gauge Mode with Run Timer
- Single button access to "Last Dive" display (max depth & bottom time)
- Deep Stop with Countdown Timer
- Customizable Audible Alarms with flashing red LED light
- Data Retention - allows between dive battery replacement
- History Mode includes total number of dives, max depth, total dive hours, and lowest temp
- OceanLog® PC Download and Settings Upload Software and USB Cable included with "Complete" option only
- Firmware Update Ready

Part n°	Description	
04-8366-16-M	ATOM 3.1 , with transmitter and USB/Oceanlog, blue	■
04-8366-24-M	ATOM 3.1 , with transmitter and USB/Oceanlog, white	■
04-8367-16-M	ATOM 3.1 , with transmitter, blue	■
04-8367-24-M	ATOM 3.1 , with transmitter, white	■
<hr/>		
04-6175-05	Battery-Kit ATOM, GEO,BUD	
04-8000-02	TRANSMITTER ATOM, VT, VT3, VT4, DataTrans, H.U.D. Datamask	
04-9610	OCEANLOG , Cable for ATOM, GEO & F10	
04-8243	Lens Cover Atom3,OCS, Oci, BUD stick-on film	
04-9036-05	Battery Transmitter - 3,6 V CR2	
14591-07	Wristband ATOM, 2 parts	
14530-07	Wristband extension ATOM	

OC 1



The Oceanic OC1 is an advanced all-in-one dive computer featuring Oceanic's exclusive Dual Algorithm, wireless air-integration, digital compass, and so much more. All in a strong, lightweight titanium housing. Available now with metric system.

- Powered by Oceanic's Exclusive Dual Algorithm™: Your choice between Pelagic DSAT (Spencer/Powell data basis) or Pelagic Z+ (Buhlmann ZHL-16C data basis)
- Wireless Air Integrated Technology
- Forged Titanium Body with 660 ft / 200 m depth rating
- Advanced Digital Compass with North, Reference, Auto Home, and Declination Adjustment
- Switch between 3 independent transmitters, with up to 3 nitrox mixes to 100% O2
- Advanced watch functions including alternate time zone, stopwatch, lap timer, daily alarm, and countdown timer
- Deep Stop with Countdown Timer
- Gauge Mode with Run-Timer
- User Upgradeable Firmware



Part n°	Description
04-8756-16-M	OC 1 with USB cable + transmitter, blue, metric
04-8756-67-M	OC 1 with USB cable + transmitter, orange, metric
04-8757-16-M	OC 1 with USB cable, blue, metric
04-8757-67-M	OC 1 with USB cable, orange, metric
04-8760	Titanium wrist band, OC 1
04-8000-02	TRANSMITTER ATOM, VT, VT3, VT4, DataTrans, Datamask
04-9612	OCEANLOG V.4 , cable for OC1 + OCS
04-9036-05	Battery Transmitter - 3,6 V CR2
04-6175-35	Battery-Kit OC1

PRO PLUS 3



No More Squinting! Dive computers are supposed to deliver crucial data quickly and without confusion. We agree. That's why the new Pro Plus 3 combines a huge display area, the largest most legible digits on the market and an intuitive user interface with major feature enhancements. See it for yourself.

- Largest, easiest-to-read display available - anywhere.
- Patented Air Time Remaining algorithm provides extremely accurate time based on current depth and your personal air consumption
- Dual Algorithm
- Custom alarms
- Quick disconnect
- SmartGlo® Backlighting
- Fresh water and salt water calibrations
- 3 gases - NX to 100%
- Deep stop
- Adjustable safety stop settings
- Log saves detailed dive data for last 50 dives
- Data Retention - maintains calculations indefinitely when the battery is changed
- Review Card
- Manual

Part n°	Description
04-1070-07	PRO PLUS 3
04-1072-07	PRO PLUS 3 , with Quick Disconnect and compass
04-9606	OCEANLOG V.3 USB-cable - VEO, VT4, VT3, DATAMASK, PP. 2.1
04-6175-95	Battery-Kit PRO PLUS 2 - 3V, CR2
04-1300-1	QUICK DISCONNECT PRO PLUS 2
16711	HP hose for pro plus quick disconnect , 100 cm.
04-1130-00	HP hose , 90 cm for 04-1070-07

VEO 3.0



The VEO 3.0 allows forward and backward navigation through settings and options and packs a variety of advanced features including our Dual Algorithm™ into a compact, rugged module.

- Powered by Oceanic's Exclusive Dual Algorithm™
- 3 Operating Modes: NORM (Air and Nitrox), GAUGE (with run timer) and FREE
- 3 Operating Buttons with "Step Back" interface
- Switch between up to 2 Nitrox mixes to 100% O₂ with no restriction (Gas 1 may be up to 100%, and may be less or greater than Gas 2)
- Stop times < 3 minutes - displays minutes & seconds
- Deep Stop with Countdown Timer – Maybe turned on or off.
2 minute countdown at half your max depth, for dives greater than 80 ft / 25m
- Single button access to "Last Dive" display (max depth & bottom time)
- Data Retention - maintains calculations indefinitely when the battery is changed
- Audible Alarm with flashing LED light
- SmartGlo Backlighting senses ambient light, enabling the backlight only in low light conditions, conserving battery life
- 24 dive on-unit log book
- History Mode includes total number of dives, max depth, total dive hours, and lowest temp
- Optional PC Interface with OceanLog Download and Settings Upload
- Firmware Auto-Update: download and install the latest firmware – these may be operational improvements or even new features

Part n°	Description
04-3805-16-M	VEO 3.0
04-3825-16	NAVCON-VEO 3.0 , console with UW-Pressure Gauge
04-9606	OCEANLOG V.3 VEO, VT3, VT4, Datamask, DMPP2.1
04-8240	Display lens cover Acryl VEO 100/150/200
04-6175-40	Battery-Kit VEO, VERSA, VERSA PRO, VT PRO
04-1130-00	HP hose , 90 cm for 04-3825-16

VEO 2.0



Brimming with all the tech and performance features serious divers seek and Oceanic's trademark ease-of-use, the Veo 2.0 could not only be your first PDC, but the last you'll ever need. Powered by Dual Algorithm™.

- Powered by Oceanic's Exclusive Dual Algorithm™.
- 3 Operating Modes: NORM (Air and Nitrox), GAUGE (with run timer) and FREE
- 2 Operating Buttons allow "Step Forward" and "Fast Scroll" Interface
- Air or single Nitrox mix to 50% O₂
- Audible Alarm with flashing LED light and User Acknowledgement
- Deep Stop with Countdown Timer – Maybe turned on or off.
- SmartGlo Backlighting senses ambient light, enabling the backlight only in low light conditions, conserving battery life
- Single button access to "Last Dive" display (max depth & bottom time)
- Data Retention - maintains calculations indefinitely when the battery is changed
- 24 dive on-unit log book
- History Mode includes total number of dives, max depth, total dive hours, and lowest temp
- Optional PC Interface with OceanLog Download and Settings Upload
- Firmware Auto-Update: download and install the latest firmware – these may be operational improvements or even new features

Part n°	Description
04-3705-67-M	VEO 2.0
04-3725-67	NAVCON-VEO 2.0 , console with pressure gauge
04-9606	OCEANLOG V.3 VEO, VT3, VT4, Datamask, DMPP2.1
04-6175-40	Battery-Kit VEO, VERSA, VERSA PRO, VT PRO
04-8240	Display lens cover Acryl VEO 100/150/200
04-1130-00	HP hose , 90 cm for 04-3725-67

VEO 1.0



The Oceanic VEO 1.0 is a solid basic computer designed for air or single gas nitrox mixes up to 50 percent. It displays only essential information during the dive in easy-to-read digits; uses effective bar graphs to present nitrogen loading and ascent rate; and offers useful features like an automatic safety stop countdown timer that ticks off three minutes when you ascend to 15 feet. A single push button is all that's required to navigate the settings and the sequences are intuitive with help from the excellent owner's manual and waterproof prompt card.

- Powered by Oceanic's Exclusive Dual Algorithm™
- Air or Single Nitrox Mix to 50% O₂
- Safety Stop Countdown Timer
- Water and/or manual activation
- Single button access to "Last Dive" display (max depth & bottom time)
- 12 dive on-unit log book
- Memory Reset for rental and training applications
- Diver-Replaceable Battery with 8-second "Hot Swap"
- Now available with metric system.

Part n°	Description
04-3005-36-M	VEO 1.0
04-3025-36	NAVCON-VEO 1.0 , console with U/W pressure gauge
04-6175-40	Battery-Kit VEO, VERSA, VERSA PRO, VT PRO
04-8240	Display lens cover Acryl VEO 100/150/200
04-1130-00	HP hose , 90 cm for 04-3036-36

B.U.D



Set it and forget it. The B.U.D. is a long overdue idea and a great way to ensure that you never have to miss a dive. Clip it off or stow it in a pocket and forget about it. B.U.D. is a universal backup dive computer that uses Dual Algorithm technology allowing you to adjust your dive computer's settings to closely match just about any other dive computer on the market making it the perfect backup device. You should never have to use it, but if you do need it, your B.U.D. will be there to save your next dive.

- Universal Backup Dive Computer
- Clip it to your BC and forget about it – should something happen to your primary, it's always with you
- Dual Algorithm® with Conservative Factor Setting adjusts to match just about any computer out there
- Simple, easy-to-read display
- Nitrox to 50%
- Long-Life user replaceable battery
- Safety Stop Countdown
- Universal Clip
- Conservative Factor Setting
- Adjustable Units of Measure
- Default unit of measure: metric system

Part n°	Description
04-2252-M	B.U.D. Back up Computer, pack of 4
04-2250-36-M	B.U.D. Back up Computer, yellow
04-2250-49-M	B.U.D. Back up Computer, red
04-2250-67-M	B.U.D. Back up Computer, orange
04-2250-79-M	B.U.D. Back up Computer, blue
04-6175-05	Battery-Kit ATOM, GEO

ACCESSORIES FOR COMPUTERS

Part n°	Description
04-8000-02	TRANSMITTER OC1, DATAMASK HUD, ATOM, VT
04-6175-05	Battery-Kit ATOM, GEO,BUD
04-6175-20	Battery-Kit DATATRANS, DATAPLUS
04-6175-25	Battery-Kit DATAMASK HUD
04-6175-35	Battery-Kit OC1,OCi
04-6175-40	Battery-Kit VEO, VERSA, VERSA PRO, VT PRO
04-6175-45	Battery compartment key VERSA, VERSA PRO
04-6175-60	Battery-Kit DATAPLUS 2
04-6175-80	Battery-Kit XTC, with O-Ring
04-6175-90	Battery-Kit PRO PLUS
04-6175-95	Battery-Kit PRO PLUS 2 - 3V, CR2
04-9036-04	Battery VEO, VERSA, VERSA PRO - CR 2450
04-9036-05	Battery Transmitter - PRO PLUS 2, DATAMASK, VT PRO- 3,6 V CR2
04-9600	UNIVERSAL OCEANLOG
04-9606	OCEANLOG V.3 USB-cable - VEO, VT4, VT3, DATAMASK, PP. 2.1
04-9610	OCEANLOG USB-cable, for ATOM, GEO, F10
04-9612	OCEANLOG V.4 USB-cable, for OC1, OCS
04-8105	Display lens cover Acryl ATOM 2/3, GEO 1/2
04-8106	Display lens cover ATOM
04-8107	Display lens cover GEO
04-8200	Display lens cover PRO PLUS
04-8240	Display lens cover Acryl VEO 100/150/200
04-8240-1	Display lens cover Urethane VEO 100/150/200
04-8242-1	Display lens cover Acryl OC1
04-8222	Display lens cover acryl for VT series
04-8240-2	Display lens cover OC1
04-1171	Wristband VEO 250
04-1170	Wristband VEO 100/NX, 180, 200
14591-07	Wristband ATOM, 2 parts
14530-07	Wristband extension ATOM
04-1440	Wristband VT4, VT3, VERSA PRO, VT PRO
15652	Wristband VEO 1.0
14218-07	Wristband VEO 2.0
14217-07	Wristband VEO 3.0
15050-02-29	Wristband GEO 2.0, GEO
15032-07	Wristband OC1, 3 parts
04-8760	Titanium wrist band OC1
04-1300-1	QUICK DISCONNECT PRO PLUS 2,3
16711	HP hose for pro plus quick disconnect , 100 cm.
04-1130-00	HP hose , 90 cm for 04-1070-07



16711



04-1300-1

COMPARISON TABLE
DIVE COMPUTERS

Computer	Datamask	OC1	VT4.1	ATOM 3.1	Pro Plus 3
Nitrox	•	•	•	•	•
Free Dive Mode	•	•	•	•	
Nitrox mixes		•	•	•	
Digital compass		•	•		
DUAL ALGORITHM*		•	•	•	•
Automatic altitude adjustment	•	•	•	•	•
Ascent Rate Monitor	•	•	•	•	•
Safety Stop	•	•	•	•	•
Deep Stop		•	•	•	
Dot-Matrix Menu		•	•		
On-unit log capacity (immersions)	24	24	24	24	24
PC-Interface**	•	•	•	•	•
Firmware Update	•	•	•	•	•
Memory***	50 h	100 h	100 h	100 h	50 h
Backlight	•	•	•	•	•
Audible Alarm	•	•	•	•	•
Visual Alarm		•	•	•	
Diver replaceable batteries	•	•	•	•	•
Made in the USA	•	•	•	•	•

DSAT published & protected by Diving Science & Technology

* Dual Algorithm provides a choice between Pelagic DSAT® (Spencer/Powell Data Basis) and Pelagic Z+ (Buhlman ZHL-16C Data Basis)

** With optional USB Cable

*** Based on 30 second sampling rate



Pro Plus 2



OCS



GEO 2.0



VEO 3.0



VEO 2.0



VEO 1.0



B.U.D.

•	•	•	•	•		•
	•	•	•	•		
	•	•	•	•		
	•					
	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•		
	•	•	•	•	•	
	•	•	•	•		
24	24	24	24	24	12	Last immersion
•	•	•	•	•		
•	•	•	•	•		
50 h	100 h	50 h	50 h	50 h		
•	•	•	•	•		
•	•	•	•	•		
		•	•	•	•	
•	•	•	•	•	•	•
•	•	•	•	•	•	•

DSAT published & protected by Diving Science & Technology

* Dual Algorithm provides a choice between Pelagic DSAT® (Spencer/Powell Data Basis) and Pelagic Z+ (Buhlman ZHL-16C Data Basis)

** With optional USB Cable

*** Based on 30 second sampling rate

MAXDEPTH SWIV2

The MaxDepth gauge is still one of the most dependable instruments around for divers who are just starting out or don't feel they need the advanced features of a Personal Dive Computer just yet. But don't worry, Oceanic's modular gauge design allows you to easily swap out the depth gauge module with a PDC as your needs change and your experience grows.

- Non-linear depth scale is easier to read in shallow depths, and makes it much easier to maintain safety stop depths
- OceanGlo® luminescent gauge face absorbs light and glows approximately 7 times faster and longer than conventional glow-in-the-dark materials
- 60m maximum depth reading
- Automatic maximum depth indicator



04-1866



04-1665

SLIMLINE PRO

- Nitrox compatible to 50% O₂
- OceanGlo® luminescent gauge face absorbs light and glows approximately 7 times faster and longer than other materials
- Shock resistant bourdon tube mechanism
- Integrated temperature gauge
- One-way safety valve
- 50 bar / 500 psi fluorescent caution zone



04-1375



04-1377-07

PONY BOTTLE GAUGE

The miniature Pony Bottle Gauge is a fully functional submersible pressure gauge rated to 300bar / 5,000 psi.

- Ideal for back-up air supplies or decompression tanks, the Pony Bottle Gauge is the perfect accessory for use with wireless PDC's, allowing you to quickly pressure check your cylinder without linking your receiver unit.
- Threads directly into any standard first stage high pressure port
- Nitrox compatible to 100% O₂
- Large numbers and green, yellow and red indicators for easy monitoring
- One-way safety valve



Part n°	Description
04-1665	MAXDEPTH PRO module , depth gauge, 0-60m
04-1866	NAVCON SWIV2 , 3-piece-console, P/G, D/G, compass
04-1375	SLIMLINE PRO , pressure gauge module, 400 bar
04-1376	SLIMLINE PRO , pressure gauge, with hose
04-1377-07	SLIMLINE PRO , pressure gauge, with hose and boot
04-1378	SLIMLINE PRO , pressure gauge cap for console
04-1510	PONY BOTTLE GAUGE

SIDESCAN II

COMPASS



04-1051



04-1052



04-1050

For reliable underwater navigation, the SideScan Compass is hard to beat. Large, easy-to-read bearing indicators on our extremely bright OceanGlo® luminescent floating card make quick work of navigation, especially in limited visibility.

- Proprietary design ensures quick response and smooth movement
- Top or side reading
- OceanGlo® luminescent floating card absorbs light and glows approximately 7 times faster and longer than other materials
- High visibility lubber line
- Large ratcheting bezel
- Direct and reciprocal index points

Part n°	Description
04-1050	SIDESCAN II Compass Module
04-1051	SIDESCAN II Compass wrist assembly
04-1052	SIDESCAN II Compass Clip assembly
04-1112	CLIP CONSOLE BOOT , for SIDESCAN 2 (04-1052)
04-1210-07	NAVCON PRO Empty
04-1212-07	Plug for NAVCON Compass hole
04-1130-00	HP HOSE 100 cm
04-1130-65	HP HOSE 65 cm
04-1130-99	HP HOSE 80 cm
04-1260	NAVCON console, empty, black

REGULATORS



OMEGA 3 / FDXi



The redesigned and restyled Omega is Oceanic's new top-of-the-line regulator. Our unique levered pilot valve provides effortless breathing without the need for adjustment—at any depth. The 3.0 has been paired with the new FDXi, an inline, pneumatically-balanced, forged diaphragm first stage that provides consistent flow performance at any depth.

- Unique Levered Pilot valve provides effortless breathing without the need for adjustment - at any depth.
- Ambidextrous breathing.
- Pre-dive Flow Control valve greatly reduces the chance of surface free-flow.
- Inline swivel provides additional freedom of movement and comfort
- FDX-I first stage uses an Inline Design to provide improved flow rate.
- Cold Forged
- The Pneumatically Balanced design provides consistent performance at any depth.
- An Environmentally Sealed diaphragm makes this reg cold water ready.
- 4 Low Pressure and 2 High Pressure Ports

Part n°	Description
40-8240-07	OMEGA 3 / FDXi DIN, DVT, Swivel, Maxflex, black
40-8240-24	OMEGA 3 / FDXi DIN, DVT, Swivel, Maxflex, white
40-8240-78	OMEGA 3 / FDXi DIN, DVT, Swivel, Maxflex, pink
40-8220-07	OMEGA 3 / FDXi INT, DVT, Swivel, Maxflex, black
40-8220-24	OMEGA 3 / FDXi INT, DVT, Swivel, Maxflex, white
40-8220-78	OMEGA 3 / FDXi INT, DVT, Swivel, Maxflex, pink

EOS / FDX 10



Comprised of precision-machined components and extensive research and design, the EOS regulator has achieved an incredible feat...lifelike breathing. Oceanic's gifted team of design engineers has included effortless breathing, inhalation effort adjustments, and comfortable second stage swivels and orthodontic mouthpieces into a regulator that you can hold in the palm of your hand. This is far more than just another regulator in the eyes of the Oceanic team, this is a dream come true.

- Pneumatically balanced second stage with virtually no breathing effort
- Diver adjustable inhalation effort
- Patented Dynamic Adjustment automatically maintains inhalation effort throughout the dive
- Ergonomic Adjustable Venturi Switch (A.V.S.) for simple Dive/Pre-Dive Adjustment
- Inline swivel for reduced jaw fatigue and comfort
- P

aired with the rugged FDX-10 Over-Balanced Diaphragm First Stage available with DVT (Dry Valve Technology)

Part n°	Description
40-7359-91	EOS / FDX10 DIN / Alpha 9 Octo , Set, Maxflex + Swivel
40-7359-07	EOS / FDX10 DIN , Maxflex +Swivel
40-7356-07	EOS / FDX10 INT , DVT + Maxflex + Swivel
40-6166	Service Kit EOS
40-6122	Service Kit FDX10 DVT, INT
40-6143	Service Kit FDX10 NON-DVT, DIN

DELTA 4.2 / FDX 10



Even with the best laid dive plans, there are times you encounter conditions beyond your control. The Delta 4.2 is one hot new regulator ready to take on all challengers with a new stylish look and FDX-10 First Stage featuring DVT (Dry Valve Technology).

- Cosmetic makeover with new stylish colors
- Diver adjustable inhalation effort
- Patented Orthodontic Mouthpiece with high-density bite tabs
- Patented Dynamic Adjustment automatically maintains inhalation effort throughout the dive
- Adjustable Venturi Switch (A.V.S.) for simple Dive/Pre-Dive Adjustment
- Inline ball swivel for reduced jaw fatigue and comfort
- Paired with the FDX-10 Over-Balanced Diaphragm First Stage available with Oceanic's DVT (Dry Valve Technology)
- Now available with MaxFlex Hose which is a lightweight, flexible, Braided hose designed to outperform and outlive traditional rubber hoses.

Part n°	Description
40-7333-91	DELTA 4.2 / FDX10 DIN / Alpha 9 Octo , Maxflex+Swivel
40-7333-23	DELTA 4.2 / FDX10 DIN , Maxflex + Swivel
40-7330-23	DELTA 4.2 / FDX10 INT , DVT + Maxflex + Swivel
40-6122	Service Kit FDX10 DVT, INT
40-6143	Service Kit FDX10 NON-DVT, DIN
40-6160	Service Kit DELTA, GAMMA, GT3, ALPHA, SLIMLINE, SWIVEL

ALPHA 9



Professional performance, entry-level price. If you believe that you shouldn't have to sacrifice performance for price, the Alpha 9 is for you. The Alpha 9 is the top-performing regulator in its class, and one of the most affordably priced regulators you can buy.

CDX-5

- High Performance 1st stage for cold waters
- DVT available in the INT-Version
- Nitrox compatibility to 40% O₂
- 2 HP and 4 LP ports



SP-5

- Unbalanced 1st stage with piston
- Nitrox compatibility to 40%
- 1 HP, 3 LP ports



Part n°	Description
40-3571-91	ALPHA 9 / CDX5 DIN / Alpha 9 Octo, Set
40-3570-91	ALPHA 9 / CDX5 INT / Alpha 9 Octo, Set
40-3571-16	ALPHA 9 / CDX5 DIN, Maxflex, silver blue
40-3571-24	ALPHA 9 / CDX5 DIN, Maxflex, white
40-3571-67	ALPHA 9 / CDX5 DIN, Maxflex, orange
40-3571-78	ALPHA 9 / CDX5 DIN, Maxflex, pink
40-3570-16	ALPHA 9 / CDX5 INT, Maxflex, silver blue
40-3580-91	ALPHA 9 / SP5 DIN / Alpha 9 Octo, Set
40-3580-16	ALPHA 9 / SP5 INT, Maxflex, silver blue
40-3581-16	ALPHA 9 / SP5 DIN, Maxflex, silver blue
40-3591-16	Alpha 9 color kit, silver blue
40-3591-18	Alpha 9 color kit, neon yellow
40-3591-24	Alpha 9 color kit white
40-3591-67	Alpha 9 color kit orange
40-3591-78	Alpha 9 color kit, pink
40-6120	Service Kit CDX5, INT
40-6121	Service Kit CDX5, DIN
40-6160	Service Kit DELTA, GAMMA, GT3, ALPHA, SLIMLINE, SWIVEL

ALPHA 9 OCTO



The Alpha 9 Octo is the same effortless breathing regulator in a compact design but colored neon yellow so that you or your buddy will be able to find it with no problem.

SWIVEL OCTO



No more fumbling. An innovative inline swivel allows for adaptability and flexibility in situations that require immediate accessibility and safety. This low profile octo has no downside, literally. The Octo Swiv with Magnetic Keeper can be used in ANY position you desire restoring a level of safety to any out-of-air situation.

- Magnetic Octo Keeper takes the hassle out of locating and attaching on BC
- Redesigned housing and exhaust valves reduce wet breathing
- Modified valve assembly for reduced sensitivity and freeflow
- Side exhaust creates the ultimate octo design with no upside down
- Inline swivel allows left or right hand side mounting allowing for quick and flexible access
- May be mounted over or under your shoulder
- Lies streamlined and flat, reducing drag and tangles on other equipment
- High visibility yellow hose and front cover
- Now available with MaxFlex Hose



Part n°	Description
40-3544-18	ALPHA 9 Octo , Maxflex, 100cm, neon yellow
40-8003-53	SWIVEL OCTO , with Magnet, yellow, Maxflex
40-6160	Service Kit DELTA, GAMMA, GT3, ALPHA, SLIMLINE, SWIVEL
40-6168	Service Kit NEO

SECOND STAGES

Part n°	Description
40-7495-07HM	EOS , Swivel, Maxflex
40-7375-23	DELTA 4.2 , Swivel
40-3415-23	GT3 , black
40-3590-16	ALPHA 9 , silver blue
40-3590-24	ALPHA 9 , white
40-3590-67	ALPHA 9 , orange
40-3590-78	ALPHA 9 , pink

FIRST STAGES

Part n°	Description
40-7302	FDX10 INT DVT
40-7305	FDX10 DIN
40-7611	CDX5 INT
40-7612	CDX5 INT, DVT
40-7621	CDX5 DIN
40-7530	SP5 INT
40-7531	SP5 DIN

REGULATOR ACCESSORIES

Part n°	Description
08-8022	Octopus holder magnet
08-8023	Octopus holder magnet , 10 pcs.
04-1132	Hose protectors , black, bag of 12 pcs
3-903	O-Ring for LP hoses 7,65 x 1,63
3-904	O-Ring for LP hoses 8,73 x 1,78
07-3007	MOUTHPIECE , orthodontic, black, 1 pc.
07-3007-07	MOUTHPIECE , orthodontic, black, 12 pcs.
07-2003	MOUTHPIECE , orthodontic, clear, 1 pc.
07-2003-10	MOUTHPIECE , orthodontic, clear, 12 pc.

CONVERSION KITS FOR REGULATORS

Part n°	Description
40-4026-99	CONVERSION KIT DIN , CDX, CDX 5, FDX 10
40-4027	CONVERSION KIT INT , CDX5
40-4027-95	CONVERSION KIT INT , FDX10
40-4031	DIN/INT Adapter
40-4035	CONVERSION KIT DIN M26 , 300 Bar

SERVICE KITS FOR REGULATORS

Part n°	Description
40-6120	Service Kit CDX5 , INT
40-6121	Service Kit CDX5 , DIN
40-6122	Service Kit FDX10 DVT, INT
40-6143	Service Kit FDX10 NON-DVT, DIN
	For second stage
40-6160	Service Kit DELTA , GAMMA, GT3, ALPHA, SLIMLINE, SWIVEL
40-6162	Service Kit DELTA 4
40-6166	Service Kit EOS
40-6168	Service Kit NEO

HOSES

Part n°	Description
04-1130-65	HP hose , 65 cm
04-1130-99	HP hose , 80 cm
04-1130-00	HP hose , 90 cm
40-2200-027	MAXFLEX LP Hose , black, 68 cm
40-2200-030	MAXFLEX LP Hose , black, 76 cm
40-2200-036	MAXFLEX LP Hose , black 92 cm
40-2218-036	MAXFLEX LP octopus hose , yellow, 92 cm
40-2220-030	MAXFLEX SWIVEL hose for Delta 4, 75 cm
40-2222-030	MAXFLEX SWIVEL hose for EOS, 75 cm
40-2100-006	MAXFLOW LP Hose , 15 cm
40-2100-022	MAXFLOW LP Hose , 55 cm
40-2100-030	MAXFLOW LP Hose , 75 cm
40-2100-048	MAXFLOW LP Hose , 120 cm
40-2120-030a	MAXFLOW LP Hose , Swivel, 75cm
40-2100-30	MAXFLOW LP Hose , Standard, 75cm
40-2100-048	MAXFLOW LP Hose , Standard, 120 cm
40-2118-039	MAXFLOW ND-octopus hose , yellow, 100 cm
816172-26	LP Hose for AIR XS, 65 cm
816172-30	LP Hose for AIR XS, 75 cm
816172-34	LP Hose for AIR XS, 85 cm
810257-26	ND-inflator hose , 65 cm
810257-30	ND-inflator hose , 75 cm
810257-34	ND-inflator hose , 85 cm
810257-48	ND-inflator hose , 120 cm
810257-95	QD Hose Assembly , 95 cm

BCD'S



BIOLITE



- Total BC weight is only 2.5 kg
- Includes right shoulder carabiner adjustable positioning system
- Streamlined, Integrated Weight System accommodates up to 6,3 kg
- Includes dual 3 kg front weight pocket "Quick Drop" weight release system
- Low profile back pack, makes it easy to fold in half for traveling purposes
- Low profile bladder design and made with Patented Bioflex material
- Self Adjusting sternum strap
- Generous soft pad
- Dual 2,25 kg tank band "Non Drop Weight Pocket"

Part n°	Description
08-2207-51	BIOLITE , XS
08-2207-52	BIOLITE , S
08-2207-53	BIOLITE , M
08-2207-55	BIOLITE , L
08-2207-56	BIOLITE , XL
08-2207-57	BIOLITE , XXL

EXCURSION 2



- Patented BioFlex® rear inflation bladder provides up to 23 ltr. lift (17ltr. S, M and L) with minimum drag when deflated
- Streamlined harness with Reinforced contoured shoulders, padded back pack with lumbar support and adjustable position sternum strap
- New QLR3 Integrated Weight System and trim pockets
- Generous zippered utility pockets
- Pre-bent welded stainless steel d-rings
- Integrated instrument retractor mount (retractor not included) and Spinner Knife mounting grommets on either the left or right
- Patented adjustable depth compensating cummerbund
- 20% weight reduction (4.2 kg size Large)

Part n°	Description
08-7139-52	EXCURSION 2, S
08-7139-53	EXCURSION 2, M
08-7139-55	EXCURSION 2, L
08-7139-56	EXCURSION 2, XL
08-0093-03	QLR3, weight system

PROBE HLC



- Heavy-duty tech oriented features in a jacket style BC
- High lift capacity (up to 28 ltr. - size XL) and minimum drag when deflated with patented BioFlex® bladder
- New QLR3 Integrated Weight System accommodates up to 12 kg plus dual 5 kg rear weight pouches for improved in-water positioning
- Pre-bent welded stainless steel d-rings
- Integrated instrument retractor mount grommet inside each zippered pocket (retractor not included) and Spinner Knife mounting grommets. Optional Air XS 2 Alternate Inflator and Spinner Knife are available accessories.
- 2 oversized zippered main pockets
- Reflective accents
- Patented adjustable depth compensating cummerbund

Part n°	Description
08-7927-52	PROBE HLC, S
08-7927-53	PROBE HLC, M
08-7927-55	PROBE HLC, L
08-7927-56	PROBE HLC, XL
08-7927-57	PROBE HLC, 2XL
08-0093-03	QLR3, weight system

HERA



SIZE CHART HERA

	Size	Weight
XS	152 - 167	45 - 56
S	158 - 173	54 - 65
M	167- 172	61 - 72
L	173 - 182	70 -86



- Hybrid bladder combines the benefits of both rear inflation and jacket style BCs
- Patented Custom Fit Harness with multi-position shoulder straps and cummerbund, the Hera delivers individual comfort for women of all sizes
- QLR Integrated Weight System accommodates up to 9 kg plus dual 2,25 kg rear weight pouches for improved in-water positioning.
- Weight pockets are loaded positioned at a slight downward angle to aid self-loading
- Contoured in all the right places
- Reinforced shoulders, padded back pack and an adjustable position sternum strap ensure comfort and stability
- Pre-bent welded stainless steel d-rings
- Integrated instrument retractor sleeve (retractor not included) and Spinner BC Knife mounting grommets

Part n°	Description
08-6201-51	HERA, XS
08-6201-52	HERA, S
08-6201-53	HERA, M
08-6201-55	HERA, L
08-0093-02	QLR2 , weight system for Probe, Hera, Excursion, Oceanpro, FX

OCEANPRO 1000D



- Designed to withstand the daily rigors of rental and training departments around the world
- Durable 1000D denier fadeless nylon construction
- Available with or without Oceanic's QLR Integrated Weight System. Accommodates up to 9kg
- Integrated backpack with carrying handle
- Easy to adjust quick release shoulder adjustments
- Strategically placed plastic d-ring attachment points
- Sternum strap

Part n°	Description
08-8451-51	OCEANPRO 1000D, XS
08-8451-52	OCEANPRO 1000D, S
08-8451-53	OCEANPRO 1000D, M
08-8451-54	OCEANPRO 1000D, ML
08-8451-55	OCEANPRO 1000D, L
08-8451-56	OCEANPRO 1000D, XL
08-0093-03	QLR3 , weight system for Probe HLC, Oceanpro 1000D, Excursion2

BC ACCESSORIES



CARIBE SNORKEL VEST

Part n°	Description
08-1003-52	CARIBE , snorkel vest, S/M
08-1003-55	CARIBE , snorkel vest, L

INFLATORS AND INFLATOR HOSES

Part n°	Description
08-1510-29	RELIANT Inflator , inflator only
08-7034-14	RELIANT Inflator , with corrugated hose, 36 cm, complete
08-7034-16	RELIANT Inflator , with corrugated hose, 40 cm, complete
08-7034-18	RELIANT Inflator , with corrugated hose, 46 cm, complete
08-7034-20	RELIANT Inflator , with corrugated hose, 51 cm, complete
810257-26	Inflator hose , 65 cm
810257-30	Inflator hose , 65 cm
810257-34	Inflator hose , 65 cm
810257-95	Inflator hose , 65 cm

BC ACCESSORIES

Part n°	Description
08-0093-02	QLR2 , weight system for Probe, Hera, Excursion, Oceanpro, FX
08-0093-03	QLR3 , weight system for Probe HLC, Oceanpro 1000D, Excursion2
08-0097-05	Weight pockets , Pair, to be fixed on tank straps
08-0070	Tank strap , Universal

SERVICE KITS

Part n°	Description
08-4025	Service Kit f. Alliance Inflator , BCDs until 2003
08-4030	Service Kit f. Reliant Inflator , BCDs from 2003 on
819637-14	Corrugated hose , 36 cm for Reliant
819637-16	Corrugated hose , 41 cm for Reliant
819637-18	Corrugated hose , 46 cm for Reliant
819637-20	Corrugated hose , 51 cm for Reliant

MASKS



PIONEER V2



With over two years in the making, this tough yet timeless mask incorporates design elements of the past with new design technology. The Pioneer features a full metal frame, exclusive easy-to-use strap release buckle system, and superview peripheral lenses with Saint-Gobain Diamant ultra-clear tempered glass.

Part n°	Description
05-5414-04	PIONEER V2 , red
05-5414-16	PIONEER V2 , silver blue
05-5414-18	PIONEER V2 , yellow
05-5414-29	PIONEER V2 , black/titanium
05-9050	Mask strap Pioneer

MAKO 1



- Highest grade 100% liquid silicone skirt for an exceptional fit and long life
- Sturdy lightweight frame
- Low volume design for wide field-of-view and easy clearing
- Tempered glass lens for safety
- Easy adjusting buckles for convenience
- Neoprene Comfort Strap included

Part n°	Description
05-4210-18	MAKO 1 , neon-yellow/clear, neoprene mask strap
05-4210-04	MAKO 1 , red/clear, neoprene mask strap
05-4210-11	MAKO 1 , clear, neoprene mask strap

MAKO 2



- Highest grade 100% liquid silicone skirt for an exceptional fit and long life
- Sturdy lightweight frame
- Low volume design for wide field-of-view and easy clearing
- Tempered glass lens for safety
- Easy adjusting buckles for convenience
- Neoprene Comfort Strap included

Part n°	Description
05-4205-10	MAKO 2 , clear, neoprene mask strap
05-4205-11	MAKO 2 , transp. blue/clear, neoprene mask strap
05-4205-18	MAKO 2 , neon-yellow/clear, neoprene mask strap

ACCENT



Sleek 100% liquid silicone skirt attached directly to the tempered glass lens.
Available in 4 colors to match any style.

- Low volume frameless mask with molded silicone color accents
- Extremely low volume design
- Swiveling, easy adjusting buckles
- Ultra Clear Glass
- Neoprene Comfort Strap included

Part n°	Description
05-4400-01	ACCENT , blue, neoprene mask strap
05-4400-18	ACCENT , neon-yellow, neoprene mask strap
05-4400-27	ACCENT , black, neoprene mask strap

PRO EAR



Keeps your ears dry and allows easy clearing. Package consists of one mask and two ear pieces.

- Type: 2 windows
- Material: Silicone
- Optical lenses: Yes, optional, from -1,5 to -10, and from +1,5 to +4
- Colors: black, carbon style

Part n°	Description
05-5000-07	PRO EAR , Black

SHADOW



- No-frame design reduces weight and provides one of the largest fields-of-view
- Extremely low volume design
- Swiveling, easy adjusting buckles
- Ideal for hunters and photographers
- Perfect back-up mask as it folds and fits easily in your BC pocket

Part n°	Description
05-4000-10	SHADOW , ice, frameless, neoprene mask strap
05-4000-27	SHADOW , black, frameless, neoprene mask strap
05-2900-09	MINI SHADOW , ice, frameless, neoprene mask strap
05-2900-27	MINI SHADOW , black, frameless, neoprene mask strap

ION



- Sturdy lightweight frame
- Low volume design for wide field-of-view and easy clearing
- May be easily fitted with optical lenses from -1.5 to -8.0 diopters in .5 increments
- Now Available in positive diopters
- 100% liquid silicone for comfort and long-life
- Tempered glass lens for safety
- Easy adjusting buckles for convenience
- Neoprene Comfort Strap included

Part n°	Description
05-5105-04	ION , red, neoprene mask strap
05-5105-10	ION , clear, neoprene mask strap
05-5105-11	ION , transparent blue, neoprene mask strap
05-5105-16	ION , silver blue, neoprene mask strap
05-5105-18	ION , neon yellow, neoprene mask strap
05-5105-27	ION , black, neoprene mask strap
05-5105-29	ION , black/titanium, neoprene mask strap

ION 3X



- Same great fit and style as the Ion with side windows for increased peripheral vision
- Sturdy lightweight frame
- Low volume design for wide field-of-view and easy clearing
- 100% liquid silicone for comfort and long-life
- Tempered glass lens for safety
- Easy adjusting buckles for convenience
- Neoprene Comfort Strap included

Part n°	Description
05-5142-07	ION 3x , black, neoprene mask strap
05-5142-11	ION 3x , transparent blue, neoprene mask strap
05-5142-18	ION 3x , neon-yellow, neoprene mask strap

ION 4



- Sturdy lightweight frame
 - Low volume design for wide field-of-view and easy clearing
 - May be easily fitted with optical lenses from -1.5 to -8.0 diopters in .5 increments
 - Now Available in positive diopters
 - 100% liquid silicone for comfort and long-life
 - Tempered glass lens for safety
 - Easy adjusting buckles for convenience
 - Neoprene Comfort Strap included
 - Same great fit and style as the Ion with side windows for increased peripheral vision
- * comes without mask box

Part n°	Description
05-5142-07	ION 4 , black, neoprene mask strap
05-5142-11	ION 4 , transparent blue, neoprene mask strap
05-5142-18	ION 4 , neon-yellow, neoprene mask strap

SITE & MINI-SITE



- Extremely low volume design
 - 100% Silicone : the best comfort and the best hygiene
 - Tempered glass for safety
 - Frame color : Blue-transparent, Neon-yellow, Titanium
- * comes without mask box

Part n°	Description
05-9800-29	SITE , titanium
05-9800-18	SITE , neon yellow
05-9800-29	SITE , transparent blue
05-9801-11	MINI-SITE , transparent blue

MASK ACCESSORIES

MASK STRAPS

Part n°	Description
05-9008-07	Neo Strap , Neoprene + Nylon
05-9090	Comfort mask strap
05-9031	Mask strap , Explorer
05-9010	Mask strap , universal, clear
05-9040	Mask strap , universal, black
05-9050	Mask strap , Pioneer

OPTICAL LENSES

MINUS for ION, ION 4, Pro Ear, X-Site, 4-Site

Part n°	Description
05-6115	Optical Lens , -, L or R, 1 pc. -1,5
05-6120	Optical Lens , -, L or R, 1 pc. -2,0
05-6125	Optical Lens , -, L or R, 1 pc. -2,5
05-6130	Optical Lens , -, L or R, 1 pc. -3,0
05-6135	Optical Lens , -, L or R, 1 pc. -3,5
05-6140	Optical Lens , -, L or R, 1 pc. -4,0
05-6145	Optical Lens , -, L or R, 1 pc. -4,5
05-6150	Optical Lens , -, L or R, 1 pc. -5,0
05-6155	Optical Lens , -, L or R, 1 pc. -5,5
05-6160	Optical Lens , -, L or R, 1 pc. -6,0
05-6165	Optical Lens , -, L or R, 1 pc. -6,5
05-6170	Optical Lens , -, L or R, 1 pc. -7,0
05-6175	Optical Lens , -, L or R, 1 pc. -7,5
05-6180	Optical Lens , -, L or R, 1 pc. -8,0

PLUS for ION, ION 4, Pro Ear, X-Site, 4-Site, **NOTE: choose between LEFT and RIGHT**

Part n°	Description
05-6100-175-RT	Optical Lens , +, R, 1 pc., +1,75
05-6100-175-LT	Optical Lens , +, L, 1 pc., +1,75
05-6100-225-RT	Optical Lens , +, R, 1 pc., +2,25
05-6100-225-LT	Optical Lens , +, L, 1 pc., +2,25
05-6100-275-RT	Optical Lens , +, R, 1 pc., +2,75
05-6100-275-LT	Optical Lens , +, L, 1 pc., +2,75

ULTRA DRY



Designed to be exactly what its name suggests, the ULTRA DRY snorkel incorporates Oceanic's patented Dry Snorkel Technology into an ultra-low profile product that is ergonomically designed for comfort and function. This technology creates a seal to virtually eliminate water entering the snorkel barrel, while achieving superior air flow performance on the surface

Part n°	Description
07-1008-07	ULTRADRY , Flex, black
07-1008-10	ULTRADRY , Flex, clear
07-1008-11	ULTRADRY , Flex, transparent blue
07-1008-14	ULTRADRY , Flex, transparent red
07-1008-18	ULTRADRY , Flex, yellow
07-1008-37	ULTRADRY , Flex, silver blue

NEW ARID



A patent pending deflector helps to keep the Arid as dry as a desert, even in waves and wind.

Patent pending dry top deflector prevents water entry, drop away flex mouthpiece, oversized purge valve for easy clearing and replaceable 100% liquid silicone mouthpiece.

Part n°	Description
07-2206-07	NEW ARID , black
07-2206-10	NEW ARID , clear
07-2206-11	NEW ARID , transparent blue
07-2206-18	NEW ARID , neon yellow
07-2206-29	NEW ARID , titanium

POCKET

A good diver is always prepared. For divers that dislike wearing a snorkel, but know that they should always be prepared, Oceanic provides an innovative solution.

The Pocket Snorkel folds neatly and out of the way in your BC pocket when not in use.



Part n°	Description
07-1800-07	POCKET , black
07-1800-10	POCKET , black/clear
07-1800-11	POCKET , transparent blue
07-1800-27	POCKET , black

EXPLORER X JUNIOR

Our children's snorkel Explorer 2 Junior is the same superior quality and full of features as our grown up models. Fitted with a purge valve to enable easy draining of water. Trap at the top of the snorkel barrel is designed to reduce the ingress of water.



Part n°	Description
07-9400-11	EXPLORER X Junior - blue
07-9400-18	EXPLORER X Junior - yellow

SNORKEL LOCK

- Standard on the pocket snorkel
- Long-life velcro technology



Part n°	Description
05-5000-07	Snorkel Lock

FINS



VORTEX V16



VROOM! Speed, comfort, and maneuverability; you can have it all with the Vortex V-16. The V-16 combines the patented design concepts divers have come to expect from Oceanic with a new mix of materials that enhance performance and style.

Compared to conventional fins, the V-16 is up to 30% faster and more efficient, with less effort, stress and strain resulting in greater comfort and control.

Part n°	Description	
14-4104-51	VORTEX V16 , red, XS, Spring Straps	■
14-4104-52	VORTEX V16 , red, S, Spring Straps	■
14-4104-53	VORTEX V16 , red, M-L, Spring Straps	■
14-4104-56	VORTEX V16 , red, XL, Spring Straps	■
14-4111-51	VORTEX V16 , blue, XS, Spring Straps	■
14-4111-52	VORTEX V16 , blue, S, Spring Straps	■
14-4111-53	VORTEX V16 , blue, M-L, Spring Straps	■
14-4111-56	VORTEX V16 , blue, XL, Spring Straps	■
14-4116-51	VORTEX V16 , silver blue, XS, Spring Straps	■
14-4116-52	VORTEX V16 , silver blue, S, Spring Straps	■
14-4116-53	VORTEX V16 , silver blue, M-L, Spring Straps	■
14-4116-56	VORTEX V16 , silver blue, XL, Spring Straps	■
14-4118-51	VORTEX V16 , yellow, XS, Spring Straps	■
14-4118-52	VORTEX V16 , yellow, S, Spring Straps	■
14-4118-53	VORTEX V16 , yellow, M-L, Spring Straps	■
14-4118-56	VORTEX V16 , yellow, XL, Spring Straps	■
2022-18	Spring Straps , XS 18 cm	
2022-20	Spring Straps , S 20 cm	
2022-22	Spring Straps , M 22 cm	

VORTEX V12



The V-12 Fin is an engineering revolution - designed from the ground up to deliver what others only promise - enhanced speed and efficiency with virtually no effort for the diver, regardless of size, strength or kicking style. Independent testing has shown that greater efficiency, resulting in reduced air consumption is achieved when using the V-12 than any other fin on the market.

Part n°	Description	
14-2007-52	VORTEX V12, S/M	■
14-2007-53	VORTEX V12, L (Regular)	■
14-2007-56	VORTEX V12, XL	■
2022-18	Spring Straps, XS	18 cm
2022-20	Spring Straps, S	20 cm
2022-22	Spring Straps, M	22 cm

VIPER



So fast and responsive they're scary. Precision blend of hydrodynamics and materials technology for ultimate comfort, efficiency and performance.

The VIPER FULL FOOT blade's Flexible Power Thrust Channel directs water off the tip of the blade for improved power and efficiency. The engineered channels and side rails direct water flow off the tips of the fin without allowing water to "spill" from the sides of the blade for uncompromising power and efficiency.



Part n°	Description	
14-3801-51	VIPER, blue, XS-S	■
14-3801-53	VIPER, blue, S-M	■
14-3801-55	VIPER, blue, M-L	■
14-3801-56	VIPER, blue, L-XL	■
14-3804-51	VIPER, red, XS-S	■
14-3804-53	VIPER, red, S-M	■
14-3804-55	VIPER, red, M-L	■
14-3804-56	VIPER, red, L-XL	■
14-3807-51	VIPER, black, XS-S	■
14-3807-53	VIPER, black, S-M	■
14-3807-55	VIPER, black, M-L	■
14-3807-56	VIPER, black, L-XL	■
14-3816-51	VIPER, silver blue, XS-S	■
14-3816-53	VIPER, silver blue, S-M	■
14-3816-55	VIPER, silver blue, M-L	■
14-3816-56	VIPER, silver blue, L-XL	■
14-3818-51	VIPER, neon yellow, XS-S	■
14-3818-53	VIPER, neon yellow, S-M	■
14-3818-55	VIPER, neon yellow, M-L	■
14-3818-56	VIPER, neon yellow, L-XL	■
2022-18	Spring Straps, XS 18 cm	
2022-20	Spring Straps, S 20 cm	
2022-22	Spring Straps, M 22 cm	

EXPLORER



Fin designed specifically for children. Can be worn with either our Explorer-Boots or because of the super soft foot pockets and the neoprene covered fin strap, bare-footed. Versatile sizing.

Part n°	Description	
14-2011-01	EXPLORER PRO KID , blue, S	■
14-2011-02	EXPLORER PRO KID , blue, L	■
14-2011-03	EXPLORER PRO KID , blue, XL	■

VIPER FF



So fast and responsive they're scary. Precision blend of hydrodynamics and materials technology for ultimate comfort, efficiency and performance.

The VIPER FULL FOOT blade's Flexible Power Thrust Channel directs water off the tip of the blade for improved power and efficiency. The engineered channels and side rails direct water flow off the tips of the fin without allowing water to "spill" from the sides of the blade for uncompromising power and efficiency.

Part n°	Description	
14-6401-50	VIPER FF, blue, 2XS (34-35)	■
14-6401-51	VIPER FF, blue, XS (36-37)	■
14-6401-52	VIPER FF, blue, S (38-39)	■
14-6401-53	VIPER FF, blue, M (40-41)	■
14-6401-54	VIPER FF, blue, ML (42-43)	■
14-6401-55	VIPER FF, blue, L (44-45)	■
14-6401-56	VIPER FF, blue, XL (46-47)	■
14-6418-50	VIPER FF, neon yellow, 2XS (34-35)	■
14-6418-51	VIPER FF, neon yellow, XS (36-37)	■
14-6418-52	VIPER FF, neon yellow, S (38-39)	■
14-6418-53	VIPER FF, neon yellow, M (40-41)	■
14-6418-54	VIPER FF, neon yellow, ML (42-43)	■
14-6418-55	VIPER FF, neon yellow, L (44-45)	■
14-6418-56	VIPER FF, neon yellow, XL (46-47)	■

SIZE CHARTS

WETSUITS

MEN

Size	Height (1)	Chest (2)	Waist (3)	Hips (4)
48	164-172	94-97	81-84	88-92
50	170-177	98-101	85-88	93-97
52	175-180	102-105	89-93	98-101
54	177-185	106-109	94-98	102-104
56	180-190	110-113	99-103	105-107
58	185-195	114-117	104-108	108-112
26	175-180	108-112	99-103	105-107
27	177-185	110-115	104-108	108-112
98	175-183	98-101	85-88	93-97
102	180-190	102-105	89-93	98-101

WOMEN

Size	Height (1)	Chest (2)	Waist (3)	Hips (4)
36	157-161	82-85	66-69	92-95
38	161-165	86-89	70-73	96-98
40	165-169	90-93	74-77	99-101
42	169-173	94-97	78-81	102-104
44	173-179	98-102	82-85	105-108


DRYSUITS

MEN

Size	Height (1)	Chest (2)	Waist (3)	Hips (4)	Shoe size
48	164-172	94-97	81-84	88-92	42
50	170-177	98-101	85-88	93-97	43-44
52	175-180	102-105	89-93	98-101	45
54	177-185	106-109	94-98	102-104	45
56	180-190	110-113	99-103	105-107	46-47
58	185-195	114-117	104-108	108-112	46-47
60	185-195	118-121	109-113	113-117	46-47
27	177-185	110-115	104-108	108-112	45
102	180-190	102-105	89-93	98-101	48

WOMEN

Size	Height (1)	Chest (2)	Waist (3)	Hips (4)	Shoe size
38	161-165	86-89	70-73	96-98	40-41
40	165-169	90-93	74-77	99-101	42
42	169-173	94-97	78-81	102-104	42
44	173-179	98-102	82-85	105-108	42



DRYSUITS

WETSUITS

BOOTS AND GLOVES



X-PRO-TEC NEO



A 3.5 mm compressed neoprene Dry Suit with upper body made of comfortable 5 mm OceanSpan Superstretch material for highest comfort. Arm seal and collar seal made of Latex with neoprene covers, Warm Neck, neoprene covers over the zip on the inner and outer side.,

- Material: OceanSpan Super stretch
- Material strength: 5,0 mm
- Hood: Not attached but inclusive
- Inlet: 360 degree turnable SI-Tech Chest
- Inlet position: Front
- Outlet : automatic
- Outlet position: Left Shoulder
- Inner and outer lamination: Nylon
- Heavy Duty Latex at wrists and neck including a neoprene warm neck
- Metal Dry Zip with protecting cover

Part n°	Description
98-6002	X-PRO-TEC NEO , Back zip, 102/L-XL
98-6027	X-PRO-TEC NEO , Back zip, 27/XL Comfort fit
98-6048	X-PRO-TEC NEO , Back zip, 48/S
98-6050	X-PRO-TEC NEO , Back zip, 50/M
98-6052	X-PRO-TEC NEO , Back zip, 52/L
98-6054	X-PRO-TEC NEO , Back zip, 54/XL
98-6056	X-PRO-TEC NEO , Back zip, 56/2XL
98-6058	X-PRO-TEC NEO , Back zip, 58/3XL
98-6060	X-PRO-TEC NEO , Back zip, 60/4XL
98-6238	X-PRO-TEC NEO LADY , Back zip, 38/S
98-6240	X-PRO-TEC NEO LADY , Back zip, 40/M
98-6242	X-PRO-TEC NEO LADY , Back zip, 42/L
98-6244	X-PRO-TEC NEO LADY , Back zip, 44/XL

HD 09 TRI



Our tri-laminate suit with front Zipper and telescopic torso. Neoprene boots, warm neck and many features more. Colour black with white accents. Including LP-hose, hood and suspenders.

- Material: Tri-laminate with taped seams, reinforced knees, latex
- Material strength: 1,0 mm
- Hood: Not attached but inclusive
- Inlet: 360 degree turnable SI-Tech Chest
- Inlet position: Front
- Outlet : automatic
- Outlet position: Left Shoulder
- Heavy Duty Latex at wrists and neck including a neoprene warm neck
- Metal Dry Zip with protecting cover

Part n°	Description
98-5048	HD 09 TRI, FZ, 48, Cordura
98-5050	HD 09 TRI, FZ, 50, Cordura
98-5052	HD 09 TRI, FZ, 52, Cordura
98-5054	HD 09 TRI, FZ, 54, Cordura
98-5056	HD 09 TRI, FZ, 56, Cordura
98-5058	HD 09 TRI, FZ, 58, Cordura
98-5238	HD 09 TRI LADY, FZ, 38, Cordura
98-5240	HD 09 TRI LADY, FZ, 40, Cordura
98-5242	HD 09 TRI LADY, FZ, 42, Cordura
98-5244	HD 09 TRI LADY, FZ, 44, Cordura

COMBO 500



Two-Part, very warm undersuit. Jacket and pants are connected while diving. Made of a 400g/sqm trilaminate material. Jacket and trousers may be worn separately. Including suspenders.

NEW UGGI



High performance undersuit with breathable fabric, soft inner fleece. 160 g/sqm. Now available in female sizes too. New exterior esthetical graphics.

Part n°	Description
98-2112	COMBO 500, S
98-2113	COMBO 500, M
98-2114	COMBO 500, ML
98-2115	COMBO 500, L
98-2116	COMBO 500, XL
98-2117	COMBO 500, 2XL
98-2118	COMBO 500, 3XL
77-2500-52	NEW UGGI 160, S
77-2500-53	NEW UGGI 160, M
77-2500-54	NEW UGGI 160, ML
77-2500-55	NEW UGGI 160, L
77-2500-56	NEW UGGI 160, XL
77-2500-57	NEW UGGI 160, 2XL
77-2500-58	NEW UGGI 160, 3XL
77-2600-52	NEW UGGI 160 LADY, S
77-2600-53	NEW UGGI 160 LADY, M
77-2600-54	NEW UGGI 160 LADY, ML
77-2600-55	NEW UGGI 160 LADY, L
77-2600-56	NEW UGGI 160 LADY, XL

DRY SUIT ACCESSORIES

Part n°	Description
BOOTS	
98-9053	BOOTS for COMFODRY, HD 09, 39/S
98-9054	BOOTS for COMFODRY, HD 09, 40-41/M
98-9055	BOOTS for COMFODRY, HD 09, 42/ML
98-9056	BOOTS for COMFODRY, HD 09, 43-44/L
98-9057	BOOTS for COMFODRY, HD 09, 45/XL
98-9058	BOOTS for COMFODRY, HD 09, 46-47/2XL
98-9059	BOOTS for COMFODRY, HD 09, 48/3XL
98-9060	BOOTS for COMFODRY, HD 09, 49/4XL
NECK SEAL, Latex, M	
50-2012-08	NECK SEAL , Latex, M
50-2012-09	NECK SEAL , Latex, L
50-2012-10	NECK SEAL , Latex, XL
50-2012-11	NECK SEAL , Latex, 2XL
WRIST SEAL, Latex, S, Bottle form, pc.	
50-2013-05	WRIST SEAL , Latex, S, Bottle form, pc.
50-2013-06	WRIST SEAL , Latex, M, Bottle form, pc.
50-2013-07	WRIST SEAL , Latex, L, Bottle form, pc.
50-2013-08	WRIST SEAL , Latex, XL, Bottle form, pc.
50-2013-09	WRIST SEAL , Latex, 2XL, Bottle form, pc.
BRACES for drysuits	
80-8500-07	BRACES for drysuits
50-2001-07	Inflation valve , push button activation, 360°, SI TECH
50-2002-07	Exhaust valve , automatic, SI TECH
50-2003-07	Inflation valve , with sliding activator, SI TECH
810257-95	Inflation hose for dry suits, 95 cm
278-0010	TIZIP lubricant , 8 g Tube

X7-SERIES 7MM



Key features to our dive suit X 7:

- 7 mm hot-overall-class
- Zipper front with a new improved course
- Materials (Neoflex O2 super stretch neoprene and heavy-duty) to increase the comfort and durability
- Flip-Seals in the arms and legs for less water exchange
- Underlaid zipper at arms and legs
- Inner lining highly reflective and good for best hygiene
- OCEANIC Visual Language

Part n°	Description
76-6748	X7 , Overall, 48/S
76-6750	X7 , Overall, 50/M
76-6752	X7 , Overall, 52/L
76-6754	X7 , Overall, 54/XL
76-6756	X7 , Overall, 56/2XL
76-6758	X7 , Overall, 58/3XL
76-6798	X7 , Overall, 98/Slimfit
76-6702	X7 , Overall, 102/Slimfit
76-6726	X7 , Overall, 26/Comfit
76-6727	X7 , Overall, 27/Comfit
76-7736	X7 LADY , Overall, 36/XS
76-7738	X7 LADY , Overall, 38/S
76-7740	X7 LADY , Overall, 40/M
76-7742	X7 LADY , Overall, 42/L
76-7744	X7 LADY , Overall, 44/XL
The exactly fitting vest for your X7 suit	
76-8548	X JACKET , 5 mm, 48
76-8550	X JACKET 5 mm, 50/M
76-8552	X JACKET , 5 mm, 52/L
76-8554	X JACKET , 5 mm, 54/XL
76-8556	X JACKET , 5 mm, 56/XXL
76-8558	X JACKET , 5 mm, 58/XXXL
76-8598	X JACKET , 5 mm, 98/S/M Slim Fit
76-8502	X JACKET , 5 mm, 102/L/XL Slim Fit
76-8526	X JACKET , 5 mm, 26/L/XL Comfort Fit
76-8527	X JACKET , 5 mm, 27/XL Comfort Fit
76-9536	X JACKET LADY , 5 mm, 36/XS
76-9538	X JACKET LADY , 5 mm, 38/S
76-9540	X JACKET LADY , 5 mm, 40/M
76-9542	X JACKET LADY , 5 mm, 42/L
76-9544	X JACKET LADY , 5 mm, 44/XL

X5-SERIES 5MM




Key features to our dive suit X 5:

- 5 mm hot-overall-class
- Zipper front with a new improved course
- Neoflex O2 super stretch neoprene and heavy-duty material to increase the comfort and durability
- Flip-Seals in the arms and legs for less water exchange
- Underlaid zipper at arms and legs
- Inner lining highly reflective and good for best hygiene
- OCEANIC Visual Language

Part n°	Description
76-6548	X5 , Overall, 48/S
76-6550	X5 , Overall, 50/M
76-6552	X5 , Overall, 52/L
76-6554	X5 , Overall, 54/XL
76-6556	X5 , Overall, 56/2XL
76-6558	X5 , Overall, 58/3XL
76-6598	X5 , Overall, 98/Slimfit
76-6502	X5 , Overall, 102/Slimfit
76-6526	X5 , Overall, 26/Comfit
76-6527	X5 , Overall, 27/Comfit
76-7536	X5 LADY , Overall, 36/XS
76-7538	X5 LADY , Overall, 38/S
76-7540	X5 LADY , Overall, 40/M
76-7542	X5 LADY , Overall, 42/L
76-7544	X5 LADY , Overall, 44/XL

X3-SERIES 3MM



Key features to our dive suit X 3:

- 3 mm hot-overall-class
- Zipper front with a new improved course
- Materials (Neoflex O2 super stretch neoprene and heavy-duty) to increase the comfort and durability
- Underlaid zipper at arms and legs
- Inner lining highly reflective and good for best hygiene
- OCEANIC Visual Language

Part n°	Description
76-6348	X3 , Overall, 48/S, 3mm
76-6350	X3 , Overall, 50/M, 3mm
76-6352	X3 , Overall, 52/L, 3mm
76-6354	X3 , Overall, 54/XL, 3mm
76-6356	X3 , Overall, 56/2XL, 3mm
76-6358	X3 , Overall, 58/3XL, 3mm
76-7336	X3 LADY , Overall, 36/XS, 3mm
76-7338	X3 LADY , Overall, 38/S, 3mm
76-7340	X3 LADY , Overall, 40/M, 3mm
76-7342	X3 LADY , Overall, 42/L, 3mm
76-7344	X3 LADY , Overall, 44/XL, 3mm

PIONEER



AT ALL TIMES ONE CAN EXPECT SOMETHING SPECIAL FROM THE PIONEER-SERIES.

For the new Pioneer suit only the best materials were used. An example is the new, extremely elastic HyFlex Neoprene with 5 mm that stands not only for an excellent wearing comfort but also for the lamination with unique haptics. This is where one can "feel" the difference to other diving suits. An integrated, 2 mm thick, highly flexible neoprene-shirt offers underwater an extra isolation as well as an optimal protective measure against sunburn, for example during the boat trip to the diving location.

The Pioneer Diving Suit combines decades of experiences whether of enthusiastic divers, ambitious designers or the world's best neoprene-developers, faithfully after the motto: FUTURE INNOVATIONS ARE BASED ON THE PAST.

Part n°	Description
76-0548	PIONEER 5+2 , Overall, 48/S
76-0550	PIONEER 5+2 , Overall, 50/M
76-0552	PIONEER 5+2 , Overall, 52/L
76-0554	PIONEER 5+2 , Overall, 54/XL
76-0556	PIONEER 5+2 , Overall, 56/2XL
76-0558	PIONEER 5+2 , Overall, 58/3XL
76-1536	PIONEER 5+2 LADY , Overall, 36/XS
76-1538	PIONEER 5+2 LADY , Overall, 38/S
76-1540	PIONEER 5+2 LADY , Overall, 40/M
76-1542	PIONEER 5+2 LADY , Overall, 42/L
76-1544	PIONEER 5+2 LADY , Overall, 44/XL

COMFORT SKIN

Lycra Suit for all warm waters. The COMFORTSKIN offers a SPF 30+ sun protection material (Australian standard) giving a full protection from the sun and from small scratches. You can enjoy total freedom of movement, flexibility and comfort!



Part n°	Description
74-7000	COMFORT SKIN , 2XS, black/blue, Lycra
74-7001	COMFORT SKIN , XS, black/blue, Lycra
74-7002	COMFORT SKIN , S, black/blue, Lycra
74-7003	COMFORT SKIN , M, black/blue, Lycra
74-7005	COMFORT SKIN , L, black/blue, Lycra
74-7006	COMFORT SKIN , XL, black/blue, Lycra
74-7007	COMFORT SKIN , 2XL, black/blue, Lycra

THERMAL GUARD

Universal hood made of 5 mm HyFlex material. The inside is easy to clean and creates a high thermal protection. Equipped with a long neck and a ventilation system that allows trapped air to get out, while stopping water from entering. Fits all Oceanic, Hollis and Aeris suits.



Part n°	Description
15-2717-52	THERMAL GUARD Hood, S
15-2717-53	THERMAL GUARD Hood, M
15-2717-55	THERMAL GUARD Hood, L
15-2717-56	THERMAL GUARD Hood, XL

NEO CLASSIC BOOT

A trendsetter in watersports footwear.

The Neo Classic boot features a heavy duty molded sole designed to withstand the rigors of diving on rocky coastlines and provide unparalleled stability on sandy beaches and boat decks.



Part n°	Description
15-1500-49	NEO CLASSIC BOOT, 3XS (34)
15-1500-50	NEO CLASSIC BOOT, 2XS (35)
15-1500-51	NEO CLASSIC BOOT, XS (36)
15-1500-52	NEO CLASSIC BOOT, S (37/38)
15-1500-53	NEO CLASSIC BOOT, M (39)
15-1500-54	NEO CLASSIC BOOT, ML (40/41)
15-1500-55	NEO CLASSIC BOOT, L (42)
15-1500-56	NEO CLASSIC BOOT, XL (43-44)
15-1500-57	NEO CLASSIC BOOT, 2XL (45)
15-1500-58	NEO CLASSIC BOOT, 3XL (46/47)
15-1500-59	NEO CLASSIC BOOT, 4XL (48/49)

NEO FLEX BOOT

A sturdy boot designed towards fins with a narrower foot pocket.
6.5mm high quality neoprene for excellent thermal protection.
Anti-Slip sole. Neoprene zip flap, cleat at the heel.



Part n°	Description
15-3112-51	NEO FLEX BOOT,XS (36)
15-3112-52	NEO FLEX BOOT,S (37-38)
15-3112-53	NEO FLEX BOOT,SM (39)
15-3112-54	NEO FLEX BOOT,M (40-41)
15-3112-55	NEO FLEX BOOT,ML (42)
15-3112-56	NEO FLEX BOOT,L (43-44)
15-3112-57	NEO FLEX BOOT,XL (45)
15-3112-58	NEO FLEX BOOT,2XL (47)

VENTURE II

- Comfortable and strong cold water boot
- Heavy duty sole
- Full gusset zipper.



Part n°	Description
15-3110-51	VENTURE II BOOT , XS/36, 5 mm
15-3110-52	VENTURE II BOOT , S/37-38, 5mm
15-3110-53	VENTURE II BOOT , M/39, 5mm
15-3110-54	VENTURE II BOOT , L/40-41, 5mm
15-3110-55	VENTURE II BOOT , XL/42, 5mm
15-3110-56	VENTURE II BOOT , 2XL/43-44, 5mm
15-3110-57	VENTURE II BOOT , 3XL/45, 5mm
15-3110-58	VENTURE II BOOT , 4XL/46-47, 5mm

EXPLORER

Soft 2mm neoprene boot, specifically designed for children's feet.



Part n°	Description
15-1201-31	EXPLORER BOOT KID , S/27
15-1201-32	EXPLORER BOOT KID , M/30
15-1201-33	EXPLORER BOOT KID , L/33-34

NEO SOX

Warm semi dry socks, ideal for very cold temperatures in addition to regular boots or separately for warm waters, with double dry seal.



Part n°	Description
15-3113-51	NEO SOX , XS/36
15-3113-52	NEO SOX , S/37-38
15-3113-53	NEO SOX , M/39
15-3113-54	NEO SOX , L/40-41
15-3113-55	NEO SOX , XL/42
15-3113-56	NEO SOX , 2XL/43-44
15-3113-57	NEO SOX , 3XL/45
15-3113-58	NEO SOX , 4XL/46-47

KEVLAR SEMI DRY

A super-stretch, neoprene glove with Kevlar® reinforced palms and fingers for rugged durability. The difference with Oceanic gloves is that the Kevlar is wrapped around each fingertip, not just on the front and back. Kevlar® material is extremely abrasion resistant. Titanium lining reflects heat back to keep your hands warmer.



Part n°	Description
15-9107-52	KEVLAR SEMI DRY GLOVE, S
15-9107-53	KEVLAR SEMI DRY GLOVE, M
15-9107-55	KEVLAR SEMI DRY GLOVE, L
15-9107-56	KEVLAR SEMI DRY GLOVE, XL
15-9107-57	KEVLAR SEMI DRY GLOVE, 2XL

NEO FLEX GLOVE

5 mm glove, with zipper. Super-stretch Oceanspan material for ultimate comfort.

Material: OceanSpan Superstretch Neoprene

Material Strength: 5,0 mm

Inner lamination: Nylon

Outer lamination: Nylon

Sealing Semi-dry

Color Black



Part n°	Description
15-9207-51	NEO FLEX GLOVE, XS
15-9207-52	NEO FLEX GLOVE, S
15-9207-53	NEO FLEX GLOVE, M
15-9207-55	NEO FLEX GLOVE, L
15-9207-56	NEO FLEX GLOVE, XL
15-9207-57	NEO FLEX GLOVE, 2XL

ACCESSORIES

The Spinner BC Knife is a compact solution perfectly suited to the streamlined diver. Solid 304 stainless steel blades feature razor-sharp smooth and serrated cutting surfaces. Line cutter and metal butt for signaling. Sharp or blunt tip. Compact quick-release sheath features a one-hand release. BC mounting kit.



Part n°	Description
02-2301	SPINNER , pointed, black
02-2302	SPINNER , blunt, black

Retractor with Fastex buckle to connect a compass, camera or other accessories. You can attach it to any fixing point on your BCD.



Part n°	Description
08-8010	OCEANTRAC , Retractor
08-8011	OCEANTRAC , Retractor, 10 Pieces pack

Stretch Coil Lanyard, with buckle and bolt snap



Part n°	Description
08-8020	STRETCH COIL LANYARD , with bolt snap
08-8021	STRETCH COIL LANYARD , 10 pcs

Our new Octopus-Safer finds its place at every BCD. The magnet is very strong - so the octopus will stay at its place even when you jump from a high distance into the water.



Part n°	Description
08-8022	OCTOPUS HOLDER , with magnet
08-8023	OCTOPUS HOLDER , with magnet, 10 pcs

NEW

40-0004-01	MAGNETIC OCTO HOLDER , blue
40-0004-07	MAGNETIC OCTO HOLDER , black
40-0004-83	MAGNETIC OCTO HOLDER , gold

Suitable for hanging your diving equipment for storage and drying.



Delux Hanger

Multi Hanger

Part n°	Description
08-8030	MULTI HANGER
08-8031	MULTI HANGER , 10 pcs

NEW

08-8032	DELUX HANGER Oceanic
---------	-----------------------------

ACCESSORIES

Signal buoy, can be used as a delayed action marker buoy.
Orange one side, the other yellow for maximum visibility.
Easy to inflate with LP-inflation. Over-pressure relief valve.



Part n°	Description
08-1021-60	DELUXE SAFETY BUOY , 18 x 240 cm

Buoy with chord, carabineer, bag with Oceanic logo



Part n°	Description
08-1029-50	DIVE BUOY

FLEX WEIGHT SYSTEM available in 1kg or 2 kg

Part n°	Description
08-9901	FLEX WEIGHT SYSTEM , 30 x 1 kg
08-9902	FLEX WEIGHT SYSTEM , 15 x 2 kg



Weight belt with pockets and metal buckles



Part n°	Description
17-1212-07	DELUXE weight belt , S, 4 pockets
17-1213-07	DELUXE weight belt , M, 5 pockets
17-1215-07	DELUXE weight belt , L, 6 pockets
17-1216-07	DELUXE weight belt , XL, 7 pockets

Underwater writing board, fluorescent

Part n°	Description
08-8050	UNDERWATER WRITING BOARD
08-8051	UNDERWATER WRITING BOARD , 10 pcs



BAGS / LUGGAGE



ROLLER 4



CARGO DRY SUIT BAG



MESH DUFFEL BAG



CARGO DELUXE



CARGO MESH BACKPACK



CARGO

Part n°	Description
17-6668-07	ROLLER 4 , with wheels, 135 l
17-7200-07	DRY SUIT Bag , grey
17-8352-07	CARGO , regulator bag, black
17-8354-07	CARGO DELUXE , regulator bag, round, grey
17-0333-07	MESH DUFFEL BAG , black
17-8352-07	CARGO MESH BACKPACK

ARC 220



Big power in a small package. The ARC 220 LED Light is a sleek yet powerful light for use on any type dive. Take it as your primary or secondary and you won't be disappointed. This light features easy on-off operation, consistent color and dependable design...all in a beautifully constructed body.

- High power 3W led light with adjustable beam
- SOS function.
- 3 AAA batteries (not included)
- 8° beam angle
- Autonomy: 5 to 8 hours
- 220 Lumen
- Max depth rated to 200m

Part n°	Description
06-4012-07	ARC 220 , 3 Watt LED

ARC 250



Never leave the surface without it. The ARC 250 LED Light is a sleek yet powerful primary light for any dive. This light features easy on-off operation, consistent color and dependable design...all in a beautifully constructed body.

- High power 5W led light
- Adjustable beam from 6-31 degrees
- Autonomy: 5 to 8 hours
- Uses 4 AAA Batteries (not included)
- 250 lumens
- Max depth rated to 200m

Part n°	Description
06-4014-07	ARC 250 , 5 Watt LED



DIVE TECHNICS BVBA

Pater Domstraat 45A | B-2520 Broechem

Phone +32 (0) 3 475 04 21 | Fax +32 (0) 3 475 04 33

www.oceanicworldwide.com/eu

Sales@divetechnics.be